



**true
sport
eyewear**

2021

Made in Austria

2021

performance 2

e001 trace pro	4	e006 fusor	14	e016 traileye pro	24
e002 trace	6	e007 vizor pro	16	e017 traileye	26
e003 zolid pro	8	e008 vizor	18	e019 elate.t	28
e004 zolid	10	e009 vizor hr pro	20	e020 elate.p	30
e005 fusor pro	12	e010 vizor hr	22		

active 32

e011 nook	34	e015 epyx-x	42
e012 epyx-y	36	e018 basou	44
e013 dlite-x	38	e021 breye	46
e014 dlite-y	40		

48 frame technology

52 lens technology

56 evil eye RX lenses

evil eye

a brand of
*Silhouette International
Schmied AG*

Ellbognerstraße 24
4020 Linz
Austria

office@evileye.com



Whether for biking, trail running or ski mountaineering, be it summer or winter – the performance models from evil eye always offer the best possible vision, a perfect fit and uncompromising protection. Prescription lenses for individual visual acuity are available for all sport eyewear models.

Made in Austria and produced with maximum precision.


performance

sizes

sizes	XS, S, L	lenses	XS: 63*41 (2054 mm²)
temple	XS: 110 mm		S: 67*43 (2243 mm²)
	S/L: 115 mm		L: 73*44 (2560 mm²)
inclination	XS: 16°	base	10
	S/L: 17°	nosebridge	XS/S/L: 8 mm
face-form-angle	XS/S: 2*25°	Ø weight	29 g
	L: 2*29°		

spare parts

- 1 sweat bar S/XS: BL 336; L: BL 335
- 2 nose bridge int. KST 51 / ext. KST 51-4
- 3 temple B 0691
- 4 inclinator AC 359
- 5 RX inclinator AC 575
- 6 cover clip-in fixation AC 573
- 6 lens lock-system AC 550



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
e001 70 + color code + 000XS/S/L
RX inclinator AC 575

Adapter
e800, sizes: XS, S, L
e800 70 6500 grey
e800 75 6500 grey + demolens clear
e800 70 6600 grey silver mirror
e800 70 3500 LST® active silver

Clip-in rimless
e900 chassis (bridge) for glazing
e901 clip-in (bridge) + demolens
e902 chassis (nose) for glazing
e904 clip-in (nose) + demolens
extended version:
e902 70 1001 0000
e904 75 1001 0000

Clip-in fullrim
e905 clip-in (bridge)
e906 clip-in (bridge) less curved
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

Basic Lenses
SOG 67/421 clear af
SOG 67/023 grey
SOG 67/131 space

LST® Lenses
SOG 67/416 LST® bright af
SOG 138/564 LST® bright blue mirror
SOG 67/109 LST® active silver
SOG 138/738 LST® active red mirror *
SOG 138/737 LST® active blue mirror *
SOG 67/174 LST® contrast silver
SOG 67/725 LST® grey silver

VARIo/polarized Lenses
SOG 129/550 VARIo af
SOG 155/566 LST® bright VARIo purple mirror
SOG 155/716 LST® bright VARIo blue mirror *
SOG 155/641 LST® blue light VARIo blue mirror af
SOG 129/449 LST® polarized silver

trace pro

e001



75 1100 000XS/S/L *
frame clear transparent
lens LST® active red mirror (3)



75 4600 000XS/S/L
frame navy metallic
lens LST® active silver (3)



75 9000 000XS/S/L
frame black matt
lens LST® active silver (3)



75 3000 000XS/S/L
frame ee red matt
lens LST® active silver (3)



75 5500 000XS/S/L
frame green transparent matt
lens LST® grey silver (3)



75 9100 000XS/S/L
frame black matt
lens LST® polarized silver (3)



75 4500 000XS/S/L
frame navy metallic
lens LST® blue light VARIo blue mirror (2-4)



75 6500 000XS/S/L
frame dark olive metallic
lens LST® bright VARIo purple mirror (1-3)



75 9200 000XS/S/L
frame black matt
lens LST® contrast silver (3)



75 6600 000XS/S/L
frame grey transparent
lens VARIo (1-3)




75 9300 000XS/S/L *
frame black matt
lens LST® bright VARIo blue mirror (1-3)

sizes

sizes	XS, S, L	lenses	XS: 63*41 (2054 mm²)
temple	XS: 110 mm		S: 67*43 (2243 mm²)
	S/L: 115 mm		L: 73*44 (2560 mm²)
inclination	XS: 16°	base	10
	S/L: 17°	nosebridge	XS/S/L: 8 mm
face-form-angle	XS/S: 2*25°	Ø weight	28 g
	L: 2*29°		

spare parts

- 1 nose bridge int. KST 51 / ext. KST 51-4
- 2 temple B 0691
- 3 inclinator AC 359
- RX inclinator AC 575
- 4 cover clip-in fixation AC 573
- 5 lens lock-system AC 550



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- sweat bar S/XS: BL 336; L: BL 335
- head strap S: BB 49-S (20 cm) L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
e002 70 + color code + 000XS/S/L
RX inclinator AC 575

Adapter
e800, sizes: XS, S, L
e800 70 6500 grey
e800 75 6500 grey + demolens clear
e800 70 6600 grey silver mirror
e800 70 3500 LST® active silver

Clip-in rimless
e900 chassis (bridge) for glazing
e901 clip-in (bridge) + demolens
e902 chassis (nose) for glazing
e904 clip-in (nose) + demolens
extended version:
e902 70 1001 0000
e904 75 1001 0000

Clip-in fullrim
e905 clip-in (bridge)
e906 clip-in (bridge) less curved
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

Basic Lenses
SOG 67/421 clear af
SOG 67/023 grey
SOG 67/131 space

LST® Lenses
SOG 67/416 LST® bright af
SOG 138/564 LST® bright blue mirror
SOG 67/109 LST® active silver
SOG 138/738 LST® active red mirror *
SOG 138/737 LST® active blue mirror *
SOG 67/174 LST® contrast silver
SOG 67/725 LST® grey silver

VARI0/polarized Lenses
SOG 129/550 VARI0 af
SOG 155/566 LST® bright VARI0 purple mirror
SOG 155/716 LST® bright VARI0 blue mirror *
SOG 155/641 LST® blue light VARI0 blue mirror af
SOG 129/449 LST® polarized silver

trace

e002



75 1500 000XS/S/L
frame white matt
lens LST® active silver (3)



75 2000 000XS/S/L
frame yellow transparent matt
lens LST® grey silver (3)



75 4000 000XS/S/L
frame violet metallic
lens LST® contrast silver (3)



75 4500 000XS/S/L *
frame blue transparent matt
lens LST® active blue mirror (3)



75 6500 000XS/S/L
frame dark olive metallic
lens LST® contrast silver (3)



75 6600 000XS/S/L
frame grey transparent
lens LST® active silver (3)



75 8500 000XS/S/L
frame sand metallic
lens LST® contrast silver (3)



75 9000 000XS/S/L
frame black matt
lens grey (3)



75 9100 000XS/S/L
frame black matt
lens LST® active silver (3)




75 9200 000XS/S/L
frame black matt
lens LST® grey silver (3)

sizes

sizes	S, L	lenses	S: 67*44 (2320 mm²)
temple	S/L: 125 mm		L: 72*47 (2679 mm²)
inclination	S/L: 16°	base	10
face-form-angle	S/L: 2*30°	nosebridge	S: 9 mm; L: 10 mm
		∅ weight	33,5 g

spare parts

- 1 sweat bar S/L: BL 337
- 2 nose bridge int. KST 80 / ext. KST 80-1
- 3 temple incl. pin (ST 63) & inclinador B 0693
- 4 inclinador AC 418
- 5 lens lock-system AC 551



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- head strap S: BB 49-S (20 cm) L: BB 49-L (23 cm)
- float AC 559

prescription

- Direct glazing e003 70 + color code + 000S/L
- Clip-in rimless e900 chassis (bridge) for glazing e901 clip-in (bridge) + demolens
- Clip-in fullrim e905 clip-in (bridge) e906 clip-in (bridge) less curved

spare lenses

- Basic Lenses SOG 67/421 clear af SOG 67/023 grey SOG 67/131 space
- LST® Lenses SOG 67/416 LST® bright af SOG 138/564 LST® bright blue mirror SOG 67/109 LST® active silver SOG 138/738 LST® active red mirror * SOG 138/737 LST® active blue mirror * SOG 67/174 LST® contrast silver SOG 67/725 LST® grey silver
- VARI0/polarized Lenses SOG 129/550 VARI0 af SOG 155/566 LST® bright VARI0 purple mirror SOG 155/716 LST® bright VARI0 blue mirror * SOG 155/641 LST® blue light VARI0 blue mirror af SOG 129/449 LST® polarized silver

zolid pro

e003



75 1000 000S/L *
frame clear transparent
lens LST® active red mirror (3)



75 5500 000S/L
frame green transparent matt
lens LST® grey silver (3)



75 9000 000S/L
frame black matt
lens LST® active silver (3)



75 3000 000S/L
frame ee red matt
lens LST® active silver (3)



75 6500 000S/L
frame dark olive metallic
lens LST® bright VARI0 purple mirror (1-3)



75 9100 000S/L
frame black matt
lens LST® polarized silver (3)



75 4500 000S/L
frame navy metallic
lens LST® blue light VARI0 blue mirror (2-4)



75 6600 000S/L
frame grey transparent
lens VARI0 (1-3)



75 9200 000S/L *
frame black matt
lens LST® bright VARI0 blue mirror (1-3)

sizes

sizes	S, L	lenses	S: 67*44 (2320 mm²)
temple	S/L: 125 mm		L: 72*47 (2679 mm²)
inclination	S/L: 16°	base	10
face-form-angle	S/L: 2*30°	nosebridge	S: 9 mm; L: 10 mm
		ø weight	32 g

spare parts

- 1 nose bridge int. KST 80 / ext. KST 80-1
- 2 temple incl. pin (ST 63) & inclinator B 0693
- 3 inclinator AC 418
- 4 lens lock-system AC 551



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- sweat bar S/L: BL 337
- head strap S: BB 49-S (20 cm) L: BB 49-L (23 cm)
- float AC 559

prescription

- Direct glazing e004 70 + color code + 000S/L
- Clip-in rimless e900 chassis (bridge) for glazing e901 clip-in (bridge) + demolens
- Clip-in fullrim e905 clip-in (bridge) e906 clip-in (bridge) less curved

spare lenses

- Basic Lenses SOG 67/421 clear af SOG 67/023 grey SOG 67/131 space
- LST® Lenses SOG 67/416 LST® bright af SOG 138/564 LST® bright blue mirror SOG 67/109 LST® active silver SOG 138/738 LST® active red mirror * SOG 138/737 LST® active blue mirror * SOG 67/174 LST® contrast silver SOG 67/725 LST® grey silver
- VARI0/polarized Lenses SOG 129/550 VARI0 af SOG 155/566 LST® bright VARI0 purple mirror SOG 155/716 LST® bright VARI0 blue mirror * SOG 155/641 LST® blue light VARI0 blue mirror af SOG 129/449 LST® polarized silver

zolid

e004



75 1500 000S/L
frame white matt
lens LST® active silver (3)



75 8500 000S/L
frame sand metallic
lens LST® contrast silver (3)



75 2000 000S/L
frame yellow transparent matt
lens LST® grey silver (3)



75 9000 000S/L
frame black matt
lens grey (3)



75 4500 000S/L *
frame blue transparent matt
lens LST® active blue mirror (3)



75 9100 000S/L
frame black matt
lens LST® grey silver (3)




75 6500 000S/L
frame dark olive metallic
lens LST® contrast silver (3)

sizes

sizes	S, L	lenses	S: 69*42 (2331 mm²)
temple	S/L: 125 mm		L: 74*43 (2556 mm²)
inclination	S: 14°	base	10
	L: 15°	nosebridge	S/L: 6 mm
face-form-angle	S/L: 2*31°	∅ weight	31 g

spare parts

- 1 face fit foam pad S: BL 339; L: BL 338
- 2 cover clip-in fixation AC 416
- 3 nose pads int. SP 109 / ext. KST 51-4
- 4 temple incl. inclinator B 0694
- 5 inclinator AC 403
- 6 head strap S: BB 49-S (20 cm); L: BB 49-L (23 cm)
- 7 float AC 559



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

prescription

Direct glazing
e005 70 + color code + 000S/L

Adapter
e801, sizes: S, L
e801 70 6500 grey
e801 75 6500 grey + demolens clear
e801 70 6600 grey silver mirror
e801 70 3500 LST® active silver

Clip-in rimless
e900 chassis (bridge) for glazing
e901 clip-in (bridge) + demolens
e902 chassis (nose) for glazing
e904 clip-in (nose) + demolens
extended version:
e902 70 1001 0000
e904 75 1001 0000

Clip-in fullrim
e905 clip-in (bridge)
e906 clip-in (bridge) less curved
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

Basic Lenses
SOG 67/421 clear af
SOG 67/023 grey
SOG 138/509 space af

LST® Lenses
SOG 67/416 LST® bright af
SOG 138/564 LST® bright blue mirror
SOG 138/492 LST® active silver af
SOG 138/738 LST® active red mirror *
SOG 138/737 LST® active blue mirror *
SOG 67/174 LST® contrast silver
SOG 67/725 LST® grey silver

VARI0/polarized Lenses
SOG 129/550 VARI0 af
SOG 155/566 LST® bright VARI0 purple mirror
SOG 155/716 LST® bright VARI0 blue mirror *
SOG 155/641 LST® blue light VARI0 blue mirror af
SOG 129/478 LST® polarized silver

fusor pro

e005



75 1000 000S/L *
frame clear transparent
lens LST® active red mirror (3)



75 9000 000S/L
frame black matt
lens LST® active silver (3)



75 3000 000S/L
frame ee red matt
lens LST® active silver (3)



75 9100 000S/L
frame black matt
lens LST® polarized silver (3)



75 4500 000S/L
frame navy metallic
lens LST® blue light VARI0 blue mirror (2-4)



75 9200 000S/L
frame black matt
lens space (4)



75 5500 000S/L
frame green transparent matt
lens LST® grey silver (3)




75 9300 000S/L *
frame black matt
lens LST® bright VARI0 blue mirror (1-3)

sizes

sizes	S, L	lenses	S: 69*42 (2331 mm²)
temple	S/L: 125 mm		L: 74*43 (2556 mm²)
inclination	S: 14°	base	10
	L: 15°	nosebridge	S/L: 6 mm
face-form-angle	S/L: 2*31°	ø weight	27 g

spare parts

- 1 cover clip-in fixation AC 416
- 2 nose pads int. SP 109 / ext. KST 51-4
- 3 temple incl. inclinator B 0694
- 4 inclinator AC 403



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- face fit foam pad S: BL 339; L: BL 338
- head strap S: BB 49-S (20 cm) L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
e006 70 + color code + 000S/L

Adapter
e801, sizes: S, L
e801 70 6500 grey
e801 75 6500 grey + demolens clear
e801 70 6600 grey silver mirror
e801 70 3500 LST® active silver

Clip-in rimless
e900 chassis (bridge) for glazing
e901 clip-in (bridge) + demolens
e902 chassis (nose) for glazing
e904 clip-in (nose) + demolens
extended version:
e902 70 1001 0000
e904 75 1001 0000

Clip-in fullrim
e905 clip-in (bridge)
e906 clip-in (bridge) less curved
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

Basic Lenses
SOG 67/421 clear af
SOG 67/023 grey
SOG 138/509 space af

LST® Lenses
SOG 67/416 LST® bright af
SOG 138/564 LST® bright blue mirror
SOG 138/492 LST® active silver af
SOG 138/738 LST® active red mirror *
SOG 138/737 LST® active blue mirror *
SOG 67/174 LST® contrast silver
SOG 67/725 LST® grey silver

VARIO/polarized Lenses
SOG 129/550 VARIO af
SOG 155/566 LST® bright VARIO purple mirror

SOG 155/716 LST® bright VARIO blue mirror *

SOG 155/641 LST® blue light VARIO blue mirror af

SOG 129/478 LST® polarized silver

fusor

e006



75 1500 000S/L
frame white matt
lens LST® active silver (3)



75 2000 000S/L
frame yellow transparent matt
lens LST® grey silver (3)



75 4000 000S/L
frame violet metallic
lens LST® contrast silver (3)



75 4500 000S/L
frame navy metallic
lens LST® active silver (3)



75 4600 000S/L *
frame blue transparent matt
lens LST® active blue mirror (3)



75 6500 000S/L
frame dark olive metallic
lens LST® contrast silver (3)



75 8500 000S/L
frame sand metallic
lens LST® contrast silver (3)



75 9000 000S/L
frame black matt
lens grey (3)



75 9100 000S/L
frame black matt
lens LST® active silver (3)




75 9200 000S/L
frame black matt
lens LST® grey silver (3)

sizes

sizes	S, L	base	6
temple	S/L: 125 mm	nosebridge	S/L: 10 mm
inclination	S/L: 14°	∅ weight	34 g

spare parts

- 1 sweat bar S/L: BL 340
- 2 nose bridge int. KST 51 / ext. KST 51-4
- 3 temple incl. inclinator B 0695
- 4 inclinator AC 403
- 5 lens lock-system AC 552



packaging

- hardcase
SHE 244
- microfiber bag
SHS 44
- box
FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

- Direct glazing
with adapter
- Shield adapter
e802, sizes: S, L
e802 70 1000 clear
e802 70 6500 grey
e802 75 6500 grey + demolens clear
e802 70 2500 LST® bright blue mirror
e802 70 3500 LST® active silver
e802 70 6000 LST® contrast silver
- Clip-in rimless
e902 chassis (nose) for glazing
e903 clip-in (nose) + demolens
extended version:
e902 70 1001 0000
e903 75 1001 0000

spare lenses

- Basic Lenses
SOG 144/541 clear
SOG 144/540 grey
SOG 144/715 space
- LST® Lenses
SOG 144/539 LST® bright
SOG 144/564 LST® bright blue mirror
SOG 144/536 LST® active silver
SOG 144/738 LST® active red mirror *
SOG 144/737 LST® active blue mirror *
SOG 144/683 LST® contrast silver
SOG 144/726 LST® grey silver
- VARIo/polarized Lenses
SOG 151/568 VARIo af
SOG 151/566 LST® bright VARIo purple mirror
SOG 151/716 LST® bright VARIo blue mirror *
SOG 151/639 LST® blue light VARIo blue mirror
SOG 151/569 LST® polarized silver

vizor pro

e007



75 1000 000S/L *
frame clear transparent
lens LST® active red mirror (3)



75 6600 000S/L
frame grey transparent
lens VARIo (0-3)



75 3000 000S/L
frame ee red matt
lens LST® active silver (3)



75 9000 000S/L
frame black matt
lens LST® active silver (3)



75 4500 000S/L
frame navy metallic
lens LST® blue light VARIo blue mirror (2-4)



75 9100 000S/L
frame black matt
lens LST® polarized silver (3)



75 6500 000S/L
frame dark olive metallic
lens LST® bright VARIo purple mirror (1-3)



75 9200 000S/L *
frame black matt
lens LST® bright VARIo blue mirror (1-3)

sizes

sizes	S, L	base	6
temple	S/L: 125 mm	nosebridge	S/L: 10 mm
inclination	S/L: 14°	∅ weight	32 g

spare parts

- 1 nose bridge int. KST 51 / ext. KST 51-4
- 2 temple incl. inclinator B 0695
- 3 inclinator AC 403
- 4 lens lock-system AC 552



packaging

- hardcase
SHE 244
- microfiber bag
SHS 44
- box
FK 181

add-ons

- sweat bar
S/L: BL 340
- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
with adapter

- Shield adapter
e802, sizes: S, L
- e802 70 1000 clear
 - e802 70 6500 grey
 - e802 75 6500 grey + demolens clear
 - e802 70 2500 LST® bright blue mirror
 - e802 70 3500 LST® active silver
 - e802 70 6000 LST® contrast silver

- Clip-in rimless
- e902 chassis (nose) for glazing
 - e903 clip-in (nose) + demolens
- extended version:
- e902 70 1001 0000
 - e903 75 1001 0000

spare lenses

- Basic Lenses
- SOG 144/541 clear
 - SOG 144/540 grey
 - SOG 144/715 space
- LST® Lenses
- SOG 144/539 LST® bright
 - SOG 144/564 LST® bright blue mirror
 - SOG 144/536 LST® active silver
 - SOG 144/738 LST® active red mirror *
 - SOG 144/737 LST® active blue mirror *
 - SOG 144/683 LST® contrast silver
 - SOG 144/726 LST® grey silver
- VARIO/polarized Lenses
- SOG 151/568 VARIO af
 - SOG 151/566 LST® bright VARIO purple mirror
 - SOG 151/716 LST® bright VARIO blue mirror *
 - SOG 151/639 LST® blue light VARIO blue mirror
 - SOG 151/569 LST® polarized silver

vizor

e008



75 1500 000S/L
frame white matt
lens LST® active silver (3)



75 8500 000S/L
frame sand metallic
lens LST® contrast silver (3)



75 6500 000S/L
frame dark olive metallic
lens LST® contrast silver (3)




75 9000 000S/L
frame black matt
lens grey (3)

sizes

sizes	S, L	base	6
temple	S/L: 125 mm	nosebridge	S/L: 10 mm
inclination	S/L: 14°	∅ weight	31,5 g

spare parts

- 1 sweat bar S/L: BL 340
- 2 nose bridge int. KST 51 / ext. KST 51-4
- 3 temple incl. inclinator B 0695
- 4 inclinator AC 403
- 5 lens lock-system AC 553



packaging

- hardcase
SHE 244
- microfiber bag
SHS 44
- box
FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

- Direct glazing
with adapter
- Shield adapter
e803, sizes: S, L
e803 70 1000 clear
e803 70 6500 grey
e803 75 6500 grey + demolens clear
e803 70 2500 LST® bright blue mirror
e803 70 3500 LST® active silver
e803 70 6000 LST® contrast silver
- Clip-in rimless
e902 chassis (nose) for glazing
e903 clip-in (nose) + demolens
extended version:
e902 70 1001 0000
e903 75 1001 0000

spare lenses

- Basic Lenses
SOG 144/541 clear
SOG 144/540 grey
SOG 144/715 space
- LST® Lenses
SOG 144/539 LST® bright
SOG 144/564 LST® bright blue mirror
SOG 144/536 LST® active silver
SOG 144/738 LST® active red mirror *
SOG 144/737 LST® active blue mirror *
SOG 144/683 LST® contrast silver
SOG 144/726 LST® grey silver
- VARiO/polarized Lenses
SOG 151/568 VARiO af
SOG 151/566 LST® bright VARiO purple mirror
SOG 151/716 LST® bright VARiO blue mirror *
SOG 151/639 LST® blue light VARiO blue mirror
SOG 151/569 LST® polarized silver

vizor hr pro

e009



75 1000 000S/L *
frame clear transparent
lens LST® active red mirror (3)



75 5500 000S/L
frame green transparent matt
lens LST® grey silver (3)



75 9000 000S/L
frame black matt
lens LST® active silver (3)



75 3000 000S/L
frame ee red matt
lens LST® active silver (3)



75 6500 000S/L
frame dark olive metallic
lens LST® bright VARiO purple mirror (1-3)



75 9100 000S/L
frame black matt
lens LST® polarized silver (3)



75 4500 000S/L
frame navy metallic
lens LST® blue light VARiO blue mirror (2-4)



75 6600 000S/L
frame grey transparent
lens VARiO (0-3)



75 9200 000S/L *
frame black matt
lens LST® bright VARiO blue mirror (1-3)

sizes

sizes	S, L	base	6
temple	S/L: 125 mm	nosebridge	S/L: 10 mm
inclination	S/L: 14°	∅ weight	30 g

spare parts

- 1 nose bridge int. KST 51 / ext. KST 51-4
- 2 temple incl. inclinator B 0695
- 3 inclinator AC 403
- 4 lens lock-system AC 553



packaging

- hardcase
SHE 244
- microfiber bag
SHS 44
- box
FK 181

add-ons

- sweat bar
S/L: BL 340
- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

- Direct glazing
with adapter
- Shield adapter
e803, sizes: S, L
e803 70 1000 clear
e803 70 6500 grey
e803 75 6500 grey + demolens clear
e803 70 2500 LST® bright blue mirror
e803 70 3500 LST® active silver
e803 70 6000 LST® contrast silver
- Clip-in rimless
e902 chassis (nose) for glazing
e903 clip-in (nose) + demolens
extended version:
e902 70 1001 0000
e903 75 1001 0000

spare lenses

- Basic Lenses
SOG 144/541 clear
SOG 144/540 grey
SOG 144/715 space
- LST® Lenses
SOG 144/539 LST® bright
SOG 144/564 LST® bright blue mirror
SOG 144/536 LST® active silver
SOG 144/738 LST® active red mirror *
SOG 144/737 LST® active blue mirror *
SOG 144/683 LST® contrast silver
SOG 144/726 LST® grey silver
- VARIO/polarized Lenses
SOG 151/568 VARIO af
SOG 151/566 LST® bright VARIO
purple mirror
SOG 151/716 LST® bright VARIO
blue mirror *
SOG 151/639 LST® blue light VARIO
blue mirror
SOG 151/569 LST® polarized silver

vizor hr

e010



75 1500 000S/L
frame white matt
lens LST® active silver (3)



75 6500 000S/L
frame dark olive metallic
lens LST® contrast silver (3)



75 2000 000S/L
frame yellow transparent matt
lens LST® grey silver (3)



75 8500 000S/L
frame sand metallic
lens LST® contrast silver (3)



75 4000 000S/L
frame violet metallic
lens LST® contrast silver (3)



75 9000 000S/L
frame black matt
lens grey (3)



75 4500 000S/L
frame blue transparent matt
lens LST® active blue mirror (3)




75 9100 000S/L
frame black matt
lens LST® grey silver (3)

sizes

sizes	S, L	base	6
temple	S/L: 120 mm	Ø weight	32 g
inclination	S/L: 15°		

spare parts

- 1 sweat bar S/L: BL 340
- 2 nose bridge int. KST 87 / ext. KST 51-4
- 3 temple B 0698
- 4 inclininator AC 570
- 5 logo part AC 561



packaging

- hardcase
SHE 244
- microfiber bag
SHS 44
- box
FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
with adapter

Shield adapter
e804, sizes: S, L
e804 70 1000 clear
e804 70 3500 LST® active silver
e804 70 6000 LST® contrast silver
e804 70 6500 LST® grey silver
e804 75 6500 LST® grey silver
+ demolens clear

Clip-in rimless
e902 chassis (nose) for glazing
e903 clip-in (nose) + demolens
extended version only:
e902 70 1001 0000
e903 75 1001 0000

spare lenses

Basic Lenses
SOG 174/541 clear
SOG 174/540 grey
SOG 174/715 space

LST® Lenses
SOG 174/539 LST® bright
SOG 174/564 LST® bright blue mirror
SOG 174/726 LST® grey silver
SOG 174/536 LST® active silver
SOG 174/738 LST® active red mirror *
SOG 174/737 LST® active blue mirror *
SOG 174/683 LST® contrast silver

VARIO/polarized Lenses
SOG 176/568 VARIO af *
SOG 176/566 LST® bright VARIO
purple mirror *
SOG 176/716 LST® bright VARIO
blue mirror *
SOG 176/639 LST® blue light VARIO
blue mirror *
SOG 176/569 LST® polarized silver *

traileye pro

e016



75 1000 000S/L *
frame clear transparent
lens LST® active red mirror (3)



75 5500 000S/L
frame green transparent matt
lens LST® grey silver (3)



75 1500 000S/L
frame white matt
lens LST® grey silver (3)



75 6500 000S/L
frame dark grey transparent matt
lens LST® grey silver (3)



75 3000 000S/L
frame ee red matt
lens LST® active silver (3)



75 9000 000S/L
frame black matt
lens LST® active silver (3)



75 4500 000S/L
frame navy metallic
lens LST® contrast silver (3)




75 9100 000S/L *
frame black matt
lens LST® bright VARIO
blue mirror (1-3)

sizes

sizes	S, L	base	6
temple	S/L: 120 mm	∅ weight	30,5 g
inclination	S/L: 15°		

spare parts

- 1 nose bridge int. KST 87 / ext. KST 51-4
- 2 temple B 0698
- 3 inclinator AC 570
- 4 logo part AC 561



packaging

- hardcase
SHE 244
- microfiber bag
SHS 44
- box
FK 181

add-ons

- sweat bar
S/L: BL 340
- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
with adapter

Shield adapter
e804, sizes: S, L
e804 70 1000 clear
e804 70 3500 LST® active silver
e804 70 6000 LST® contrast silver
e804 70 6500 LST® grey silver
e804 75 6500 LST® grey silver
+ demolens clear

Clip-in rimless
e902 chassis (nose) for glazing
e903 clip-in (nose) + demolens
extended version only:
e902 70 1001 0000
e903 75 1001 0000

spare lenses

Basic Lenses
SOG 174/541 clear
SOG 174/540 grey
SOG 174/715 space

LST® Lenses
SOG 174/539 LST® bright
SOG 174/564 LST® bright blue mirror
SOG 174/726 LST® grey silver
SOG 174/536 LST® active silver
SOG 174/738 LST® active red mirror *
SOG 174/737 LST® active blue mirror *
SOG 174/683 LST® contrast silver

VARIO/polarized Lenses
SOG 176/568 VARIO af *
SOG 176/566 LST® bright VARIO
purple mirror *
SOG 176/716 LST® bright VARIO
blue mirror *
SOG 176/639 LST® blue light VARIO
blue mirror *
SOG 176/569 LST® polarized silver *

traileye

e017



75 1500 000S/L
frame white matt
lens LST® contrast silver (3)



75 4600 000S/L *
frame blue transparent matt
lens LST® active blue mirror (3)



75 2000 000S/L
frame yellow transparent matt
lens LST® grey silver (3)



75 9000 000S/L
frame black matt
lens LST® grey silver (3)




75 4500 000S/L
frame blue transparent matt
lens LST® active silver (3)

sizes

sizes	S, L	lenses	S: 66*46 (2395 mm²)
temple	S/L: 120 mm		L: 70*49 (2712 mm²)
inclination	S/L: 15°	base	8
face-form-angle	S/L: 2*26°	nosebridge	S/L: 10 mm
		ø weight	27,5 g

spare parts

- 1 nose bridge int. KST 51 / ext. KST 51-4
- 2 temple B 0698
- 3 inclinator AC 570
- 4 cover clip-in fixation AC 572
- 5 logo part AC 561



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- head strap S: BB 49-S (20 cm) L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
e019 70 + color code + 000S/L

Clip-in rimless
e900 chassis (bridge) for glazing
e901 clip-in (bridge) + demolens

spare lenses

- Basic Lenses
- SOG 68/421 clear af
 - SOG 68/023 grey
 - SOG 68/131 space
- LST® Lenses
- SOG 68/416 LST® bright af
 - SOG 145/564 LST® bright blue mirror
 - SOG 68/725 LST® grey silver
 - SOG 68/109 LST® active silver
 - SOG 145/738 LST® active red mirror *
 - SOG 145/737 LST® active blue mirror *
 - SOG 68/174 LST® contrast silver
- VARIO/polarized Lenses
- SOG 104/550 VARIO af
 - SOG 156/566 LST® bright VARIO purple mirror
 - SOG 156/716 LST® bright VARIO blue mirror *
 - SOG 156/639 LST® blue light VARIO blue mirror
 - SOG 104/449 LST® polarized silver

*) available from April 2021

elate.t

e019



75 1500 000S/L
frame white matt
lens LST® contrast silver (3)



75 8500 000S/L
frame rosé transparent
lens LST® active silver (3)



75 3000 000S/L
frame ee red matt
lens LST® active silver (3)



75 9000 000S/L
frame black matt
lens LST® contrast silver (3)



75 4500 000S/L
frame dark blue matt
lens LST® grey silver (3)




75 9100 000S/L
frame black matt
lens LST® grey silver (3)

sizes

sizes	S, L	lenses	S: 66*46 (2395 mm²)
temple	S/L: 120 mm		L: 70*49 (2712 mm²)
inclination	S/L: 15°	base	8
face-form-angle	S/L: 2*26°	nosebridge	S/L: 10 mm
		∅ weight	27 g

spare parts

- 1 nose bridge int. KST 51 / ext. KST 51-4
- 2 temple B 0698
- 3 inclinator AC 570
- 4 cover clip-in fixation AC 572
- 5 logo part AC 561



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
e020 70 + color code + 000S/L

Clip-in rimless
e900 chassis (bridge) for glazing
e901 clip-in (bridge) + demolens

Clip-in fullrim
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

Basic Lenses
SOG 68/421 clear af
SOG 68/023 grey
SOG 68/131 space

LST® Lenses
SOG 68/416 LST® bright af
SOG 145/564 LST® bright blue mirror
SOG 68/725 LST® grey silver
SOG 68/109 LST® active silver
SOG 145/738 LST® active red mirror *
SOG 145/737 LST® active blue mirror *
SOG 68/174 LST® contrast silver

VARiO/polarized Lenses
SOG 104/550 VARiO af
SOG 156/566 LST® bright VARiO purple mirror
SOG 156/716 LST® bright VARiO blue mirror *
SOG 156/639 LST® blue light VARiO blue mirror
SOG 104/449 LST® polarized silver

elate.p

e020



75 2000 000S/L
frame yellow transparent matt
lens LST® grey silver (3)



75 4500 000S/L
frame blue transparent matt
lens LST® active silver (3)



75 3000 000S/L
frame ee red matt
lens LST® active silver (3)



75 6500 000S/L
frame grey transparent matt
lens LST® grey silver (3)



75 4000 000S/L
frame violet matt
lens LST® active silver (3)



75 9000 000S/L
frame black matt
lens LST® contrast silver (3)

The active models from evil eye see form and function go hand in hand. Light in weight and with a versatile range of applications, the models can also be fitted with prescription lenses. And what's more, it's all Made in Austria.

A full-page photograph of a woman with blonde hair, wearing an orange tank top, black shorts, and black sunglasses. She is in a dynamic stretching pose, leaning forward with her hands on her knees. The background is a bright, cloudy sky. The word "active" is written in large, bold, black lowercase letters across the bottom right of the image.

active

sizes

temple	130 mm	lenses	63*46 (2405 mm²)
inclination	15°	base	8
face-form-angle	2*26°	nosebridge	14 mm
		ø weight	24 g

spare parts

- 1 nose pads int. SP 110 / ext. SP 105
- 2 temple incl. hinge pin B 0692
- 3 hinge pin ST 47



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
e011 70 + color code + 0000

Clip-in fullrim
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

- Basic Lenses
- SOG 68/421 clear af
 - SOG 68/023 grey
 - SOG 145/531 blue mirror
- LST® Lenses
- SOG 68/416 LST® bright af
 - SOG 145/564 LST® bright blue mirror
 - SOG 68/109 LST® active silver
 - SOG 145/738 LST® active red mirror *
 - SOG 145/737 LST® active blue mirror *
 - SOG 68/174 LST® contrast silver
 - SOG 68/725 LST® grey silver
- VARIo/polarized Lenses
- SOG 104/550 VARIo af
 - SOG 156/566 LST® bright VARIo purple mirror
 - SOG 156/716 LST® bright VARIo blue mirror *
 - SOG 156/639 LST® blue light VARIo blue mirror af
 - SOG 104/449 LST® polarized silver

nook

e011



75 1000 0000
frame clear transparent
lens LST® polarized silver (3)



75 4500 0000
frame dark blue matt
lens blue mirror (3)



75 9100 0000
frame black matt
lens grey (3)



75 1500 0000
frame white matt
lens LST® contrast silver (3)



75 6500 0000
frame dark olive metallic
lens LST® contrast silver (3)



75 9200 0000
frame black matt
lens LST® grey silver (3)



75 2000 0000
frame yellow transparent matt
lens LST® grey silver (3)



75 6600 0000
frame grey transparent
lens VARIo (1-3)



75 9300 0000 *
frame black matt
lens LST® active red mirror (3)



75 3000 0000
frame ee red matt
lens LST® active silver (3)



75 9000 0000
frame black matt
lens LST® active silver (3)



75 9400 0000 *
frame black matt
lens LST® active blue mirror (3)

sizes

temple	130 mm	lenses	73*44 (2441 mm²)
inclination	13°	base	8
face-form-angle	2*26°	nosebridge	6 mm
		ø weight	22,5 g

spare parts

- 1 nose pads int. SP 110 / ext. SP 105
- 2 temple incl. hinge pin B 0692
- 3 hinge pin ST 47



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
e012 70 + color code + 0000

Clip-in fullrim
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

- Basic Lenses
- SOG 68/421 clear af
 - SOG 68/023 grey
 - SOG 145/531 blue mirror
- LST® Lenses
- SOG 68/416 LST® bright af
 - SOG 145/564 LST® bright blue mirror
 - SOG 68/109 LST® active silver
 - SOG 145/738 LST® active red mirror *
 - SOG 145/737 LST® active blue mirror *
 - SOG 68/174 LST® contrast silver
 - SOG 68/725 LST® grey silver
- VARIo/polarized Lenses
- SOG 104/550 VARIo af
 - SOG 156/566 LST® bright VARIo purple mirror
 - SOG 156/716 LST® bright VARIo blue mirror *
 - SOG 156/639 LST® blue light VARIo blue mirror af
 - SOG 104/449 LST® polarized silver

epyx-y

e012



75 1000 0000
frame clear transparent
lens LST® polarized silver (3)



75 4500 0000
frame dark blue matt
lens blue mirror (3)



75 9100 0000
frame black matt
lens grey (3)



75 1500 0000
frame white matt
lens LST® contrast silver (3)



75 6500 0000
frame dark olive metallic
lens LST® contrast silver (3)



75 9200 0000
frame black matt
lens LST® grey silver (3)



75 2000 0000
frame yellow transparent matt
lens LST® grey silver (3)



75 6600 0000
frame grey transparent
lens VARIo (1-3)



75 9300 0000 *
frame black matt
lens LST® active red mirror (3)



75 3000 0000
frame ee red matt
lens LST® active silver (3)



75 9000 0000
frame black matt
lens LST® active silver (3)



75 9400 0000 *
frame black matt
lens LST® active blue mirror (3)

sizes

temple	130 mm	base	9
inclination	9°	∅ weight	21,5 g

spare parts

- 1 nose bridge int. KST 51 / ext. KST 51-4
- 2 hinge BA 910
- 3 temple incl. hinge pin B 0692
- 4 hinge pin ST 47



packaging

- hardcase
SHE 244
- microfiber bag
SHS 44
- box
FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Clip-in rimless
e902 chassis (nose) for glazing
e904 clip-in (nose) + demo lens
extended version:
e902 70 1001 0000
e904 75 1001 0000

Clip-in fullrim
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

- Basic Lenses**
SOG 103/420 clear
SOG 103/023 grey
- LST® Lenses**
SOG 103/417 LST® bright
SOG 103/109 LST® active silver
SOG 103/749 LST® active red mirror *
SOG 103/748 LST® active blue mirror *
SOG 103/174 LST® contrast silver
SOG 103/725 LST® grey silver

dlite-x

e013



75 1500 0000
frame white matt
lens LST® contrast silver (3)



75 4000 0000
frame violet metallic
lens LST® contrast silver (3)



75 9200 0000
frame black matt
lens LST® grey silver (3)



75 2000 0000
frame yellow transparent matt
lens LST® grey silver (3)



75 4500 0000
frame dark blue matt
lens LST® active silver (3)



75 9300 0000 *
frame black matt
lens LST® active red mirror (3)



75 3000 0000
frame ee red matt
lens LST® active silver (3)



75 9000 0000
frame black matt
lens LST® active silver (3)



75 9400 0000 *
frame black matt
lens LST® active blue mirror (3)



75 9100 0000
frame black matt
lens grey (3)

sizes

temple	130 mm	base	9
inclination	10°	∅ weight	21,5 g

spare parts

- 1 nose bridge int. KST 51 / ext. KST 51-4
- 2 hinge BA 910
- 3 temple incl. hinge pin B 0692
- 4 hinge pin ST 47



packaging

- hardcase
SHE 244
- microfiber bag
SHS 44
- box
FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Clip-in rimless
e902 chassis (nose) for glazing
e904 clip-in (nose) + demo lens
extended version:
e902 70 1001 0000
e904 75 1001 0000

Clip-in fullrim
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

- Basic Lenses
SOG 103/420 clear
SOG 103/023 grey
- LST® Lenses
SOG 103/417 LST® bright
SOG 103/109 LST® active silver
SOG 103/749 LST® active red mirror *
SOG 103/748 LST® active blue mirror *
SOG 103/174 LST® contrast silver
SOG 103/725 LST® grey silver

dlite-y

e014



75 1500 0000
frame white matt
lens LST® contrast silver (3)



75 4500 0000
frame dark blue matt
lens LST® active silver (3)



75 9200 0000
frame black matt
lens LST® grey silver (3)



75 2000 0000
frame yellow transparent matt
lens LST® grey silver (3)



75 6500 0000
frame dark olive metallic
lens LST® contrast silver (3)



75 9300 0000 *
frame black matt
lens LST® active red mirror (3)



75 3000 0000
frame ee red matt
lens LST® active silver (3)



75 9000 0000
frame black matt
lens LST® active silver (3)



75 9400 0000 *
frame black matt
lens LST® active blue mirror (3)



75 9100 0000
frame black matt
lens grey (3)

sizes

temple	130 mm	lenses	68*43 (2343 mm²)
inclination	13°	base	8
face-form-angle	2*26°	nosebridge	5 mm
		ø weight	21,5 g

spare parts

- 1 nose pads int. SP 110 / ext. SP 105
- 2 temple incl. hinge pin B 0692
- 3 hinge pin ST 47



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
e015 70 + color code + 0000

Clip-in fullrim
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

- Basic Lenses
- SOG 68/421 clear af
 - SOG 68/023 grey
 - SOG 145/531 blue mirror
- LST® Lenses
- SOG 68/416 LST® bright af
 - SOG 145/564 LST® bright blue mirror
 - SOG 68/109 LST® active silver
 - SOG 145/738 LST® active red mirror *
 - SOG 145/737 LST® active blue mirror *
 - SOG 68/174 LST® contrast silver
 - SOG 68/725 LST® grey silver
- VARI0/polarized Lenses
- SOG 104/550 VARI0 af
 - SOG 156/566 LST® bright VARI0 purple mirror
 - SOG 156/716 LST® bright VARI0 blue mirror *
 - SOG 156/639 LST® blue light VARI0 blue mirror af
 - SOG 104/449 LST® polarized silver

epyx-x

e015



75 1000 0000
frame clear transparent
lens LST® polarized silver (3)



75 4000 0000
frame violet metallic
lens LST® contrast silver (3)



75 9100 0000
frame black matt
lens grey (3)



75 1500 0000
frame white matt
lens LST® contrast silver (3)



75 4500 0000
frame dark blue matt
lens blue mirror (3)



75 9200 0000
frame black matt
lens LST® grey silver (3)



75 2000 0000
frame yellow transparent matt
lens LST® grey silver (3)



75 6600 0000
frame grey transparent
lens VARI0 (1-3)



75 9300 0000 *
frame black matt
lens LST® active red mirror (3)



75 3000 0000
frame ee red matt
lens LST® active silver (3)



75 9000 0000
frame black matt
lens LST® active silver (3)



75 9400 0000 *
frame black matt
lens LST® active blue mirror (3)

sizes

temple	130 mm	lenses	59*45 (2204 mm²)
inclination	11°	base	8
face-form-angle	2*24°	nosebridge	14 mm
		ø weight	23 g

spare parts

- 1 nose pads int. SP 110 / ext. SP 105
- 2 temple incl. hinge pin B 0692
- 3 hinge pin ST 47



packaging

- hardcase SHE 244
- microfiber bag SHS 44
- microfiber bag for spare lenses SHS 45
- box FK 181

add-ons

- head strap
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float AC 559

prescription

Direct glazing
e018 70 + color code + 0000

Clip-in rimless
e902 chassis (nose) for glazing
e904 clip-in (nose) + demo lens
only extended version:
e902 70 1001 0000
e904 75 1001 0000

Clip-in fullrim
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

Basic Lenses
SOG 68/421 clear af
SOG 68/023 grey
SOG 145/531 blue mirror

LST® Lenses
SOG 68/416 LST® bright af
SOG 145/564 LST® bright blue mirror
SOG 68/725 LST® grey silver
SOG 68/109 LST® active silver
SOG 145/738 LST® active red mirror *
SOG 145/737 LST® active blue mirror *
SOG 68/174 LST® contrast silver

VARIo/polarized Lenses
SOG 104/550 VARIo af
SOG 156/566 LST® bright VARIo purple mirror
SOG 156/716 LST® bright VARIo blue mirror *
SOG 156/639 LST® blue light VARIo blue mirror af
SOG 104/449 LST® polarized silver

*) available from April 2021

basou



75 4000 0000
frame **violet metallic**
lens **LST® contrast silver (3)**



75 8600 0000
frame **rosé transparent**
lens **LST® active silver (3)**



75 5000 0000
frame **mint shiny**
lens **LST® grey silver (3)**



75 9000 0000
frame **black matt**
lens **LST® active silver (3)**



75 6000 0000
frame **dark brown matt**
lens **LST® contrast silver (3)**



75 9100 0000 *
frame **black matt**
lens **LST® active red mirror (3)**



75 8500 0000
frame **ivory transparent**
lens **LST® contrast silver (3)**



75 9200 0000 *
frame **black matt**
lens **LST® active blue mirror (3)**

sizes

temple	130 mm	lenses	60*46 (2151 mm²)
inclination	16°	base	8
face-form-angle	2*22°	nosebridge	16 mm
		ø weight	24,5 g

spare parts

- 1 **nosepads int.** SP 110 / **ext.** SP 105
- 2 **temple incl. hinge pin** B 0692
- 3 **hinge pin** ST 47



packaging

- hardcase** SHE 244
- microfiber bag** SHS 44
- microfiber bag for spare lenses** SHS 45
- box** FK 181

add-ons

- head strap**
S: BB 49-S (20 cm)
L: BB 49-L (23 cm)
- float** AC 559

prescription

Direct glazing
e021 70 + color code + 0000

Clip-in fullrim
e907 clip-in (nose)
extended version:
e907 75 1001 0000

spare lenses

Basic Lenses

SOG 68/421 clear af
SOG 68/023 grey
SOG 145/531 blue mirror

LST® Lenses

SOG 68/416 LST® bright af
SOG 145/564 LST® bright blue mirror
SOG 68/725 LST® grey silver
SOG 68/109 LST® active silver
SOG 145/738 LST® active red mirror *
SOG 145/737 LST® active blue mirror *
SOG 68/174 LST® contrast silver

VARiO/polarized Lenses

SOG 104/550 VARiO af
SOG 156/566 LST® bright VARiO purple mirror
SOG 156/716 LST® bright VARiO blue mirror *
SOG 156/639 LST® blue light VARiO blue mirror af
SOG 104/449 LST® polarized silver

breye



75 3000 0000
frame **ee red matt**
lens **LST® active silver (3)**



75 9000 0000
frame **black matt**
lens **LST® active silver (3)**



75 4500 0000
frame **blue havanna matt**
lens **LST® grey silver (3)**



75 9100 0000
frame **black matt**
lens **LST® grey silver (3)**



75 6000 0000
frame **khaki matt**
lens **LST® contrast silver (3)**



75 9200 0000 *
frame **black matt**
lens **LST® active red mirror (3)**



75 6500 0000
frame **grey transparent matt**
lens **LST® contrast silver (3)**



75 9300 0000 *
frame **black matt**
lens **LST® active blue mirror (3)**

frame technology

The evil eye frame technology combines everything that you would expect from perfect sport eyewear: an incomparably lightweight construction, an ideal fit and intelligent adjustment options.

fit

tri.fit

Three-stage adjustment for the temple positions allows perfect inclination and adapts to different sports.



double-snap nose bridge double-snap nose pads

The nose pad with two settings adjusts the sports eyewear to fit every shape of nose. Soft and non-slip materials guarantee a comfortable fit and secure grip.



various sizes

Various frame sizes ensure a pleasant fit and best possible performance.



protection

sweat bar

A removable foam bar prevents sweat entering the eyes.



head strap

The head strap is pushed onto the temple to provide an even better grip and reduces the danger of losing the sports eyewear. Optional accessory for all evil eye models



face-fit foam pad

Removable and anatomically molded foam protects the eyes against draughts, snow and rain.



traction grip

The unique structure on the temple tips ensures that the sports eyewear fit securely and do not slip.



vision

lens lock-system

The technically sophisticated system guarantees easy lens changing.



quick-change lens system

Quick and easy lens change allows you to adapt the sports eyewear to different light conditions.



wrap-around design for 8 base and 10 base

Maximum eye protection, low fogging and an extremely wide field of vision thanks to the curved frame shape



ventilation system


Dynamic ventilation technology guides the airflow to reduce fogging, channel away moisture and prevent impairment of vision.



durability


new temple design

Soft and extremely flexible temple tips guarantee a high degree of comfort and prevent pressure points behind the ear.




quick-release hinge

Under heavy load, the temple detaches from the frame. It can be instantly and easily clicked back into place.



vision advantage PC lens

Extremely strong polycarbonate lenses of highest optical quality protect your eyes against external influences such as dirt, rain, wind or insects. 100% UV protection A, B and C (UV400).



PPX®

All evil eye models are produced exclusively from the ultra light, extremely robust yet flexible PPX® material. It ensures a non-slip, pressure-free and secure fit.




float

The float stops the eyewear from sinking if it should fall into the water. Optional accessory for all evil eye models



lens technology

Good vision is vital for sport. The evil eye lens technology provides optimum vision in uncompromising quality in any light and weather conditions as well as for any sport.



LST®

LST® lenses intensify contrasts, harmonize rapid fluctuations caused by the interplay of light and shadow and ensure clear vision. LST® reduces light intensity to a pleasant level and helps wearers to perceive different colors better and more distinctly.

LST® VARiO tuned

The combination of LST™ and VARiO brings together the benefits of the two technologies: intensified contrasts, harmonization of rapid fluctuations caused by the interplay of light and shadow and smooth self-tinting in changing light conditions.

VARiO tuned


VARiO lenses with photochromic technology adapt automatically and smoothly to changing conditions of light and weather.

UV-Protection

Without exception, all evil eye lenses – regardless of how strongly they are tinted – offer 100 percent protection against harmful UV A, B and C radiation (UV 400).

Injection Wafer Technology

The self-tinting technology is located – ideally protected – between two scratch-resistant polycarbonate layers.



LST® light stabilizing technology

1 LST® bright LST® bright blue mirror

- brightening effect
- intensifies contrasts in conditions of poor light



2 LST® active silver LST® active red mirror LST® active blue mirror

- harmonious transition between bright and shaded areas
- high-contrast vision




3 LST® contrast silver

- improves the natural colors
- ensures greater contrasts in green surroundings



4 LST® grey silver

- intensifies contrasts
- unadulterated, pleasant color perception



5 LST® bright VARiO purple mirror LST® bright VARiO blue mirror

- brightening effect
- intensifying contrast plus self-tinting VARiO technology
- suitable for all-day use



6 LST® blue light VARiO blue mirror

- intensifying contrast plus self-tinting VARiO technology
- optimized for use in high mountains



7 LST® polarized silver

- intensifying contrasts plus polarization filter against reflected light
- optimal for water, ice or snow



8 VARiO

- self-tinting filter
- adapts smoothly to changing conditions of light and weather





100 – 80 %



80 ≥ 43 %

clear

Clear lenses with maximum light transmission for use in fading light or in the dark

primary color: clear



category 0

light-absorption 10%

light-transmission 90%

grey

Protection in moderate to bright light; natural colors are retained.

primary color: dark grey



category 3

light-absorption 88%

light-transmission 12%

blue mirror

Protection in moderate to bright light; natural colors are retained

primary color: dark grey



category 3

light-absorption 88%

light-transmission 12%

space

Protection in extreme brightness; perfect for use on glaciers, in snow or on the water

primary color: grey



category 4

light-absorption 95%

light-transmission 5%

LST® bright

Contrast intensifying and brightening effect along with better vision in fog and diffuse light

primary color: orange



category 1

light-absorption 40%

light-transmission 60%

LST® bright blue mirror

Improves vision, brightens and intensifies contrasts in conditions of poor light

primary color: orange



category 1

light-absorption 46%

light-transmission 54%

LST® active silver

Provides a harmonious transition between bright and shaded areas, high-contrast vision and heightened protection in moderate to bright light

primary color: reddish brown



category 3

light-absorption 84%

light-transmission 16%

LST® active red mirror

Provides a harmonious transition between bright and shaded areas, high-contrast vision and heightened protection in moderate to bright light

primary color: reddish brown



category 3

light-absorption 84%

light-transmission 16%

LST® active blue mirror

Provides a harmonious transition between bright and shaded areas, high-contrast vision and heightened protection in moderate to bright light

primary color: reddish brown



category 3

light-absorption 85%

light-transmission 15%



43 ≥ 18 %



18 ≥ 8 %



8 ≥ 3 %

lens category

light-transmission

LST® contrast silver

Improves the natural colors and ensures greater contrasts in green surroundings thanks to the blue light filter

primary color: dark brown



category 3

light-absorption 86%

light-transmission 14%

LST® grey silver

Contrast enhanced vision and heightened protection in moderate to bright light conditions

primary color: dark grey



category 3

light-absorption 86%

light-transmission 14%

LST® polarized silver

LST® technology for intensifying contrasts plus polarization filter against reflected light on surfaces such as water, ice or snow

primary color: brown



category 3

light-absorption 88%

light-transmission 12%

VARiO

The photochromic lenses adapt smoothly within seconds to changing light conditions.

primary color: clear to dark grey

SOG 151/568 falls into lens category 0–3; light-absorption: 18–87%, light-transmission: 82–13%



category 1–3

light-absorption 28–86%

light-transmission 72–14%

LST® bright VARiO purple mirror

LST® technology for intensifying contrast plus self-tinting VARiO technology; optimized for conditions of poor light; suitable for all-day use

primary color: orange to grey



category 1–3

light-absorption 38–87%

light-transmission 62–13%

LST® bright VARiO blue mirror

LST® technology for intensifying contrast plus self-tinting VARiO technology; optimized for conditions of poor light; suitable for all-day use

primary color: orange to dark brown



category 1–3

light-absorption 50–91%

light-transmission 50–9%

LST® blue light VARiO blue mirror

LST® technology for intensifying contrast plus self-tinting VARiO technology; optimized for use in high mountains

primary color: brown to dark brown



category 2–4

light-absorption 73–94%

light-transmission 27–6%

VARiO: The specified transmission values in both lightened and darkened filter are achieved at a test temperature of 23°C.

Attention – stronger temperature deviations upwards reduce the darkening, stronger temperature deviations downwards increase the darkening.

R_x evil eye lenses

100% focus – sharp vision during sport

Best possible vision is a fundamental requirement for top performances, but also for greater safety and fun. evil eye RX lenses offer the ideal glazing option for all evil eye sport eyewear models.

Produced at the Silhouette Vision Sensation Lab in Linz, one of the world's most modern research and production centers for prescription optical lenses, they provide a guarantee of supreme quality and precision.

Clip-in

The most versatile lens solution: clip-in can be used for all models, suitable for high vision correction values, lens changing is possible.

Direct inframe glazing

For direct inframe glazing, prescription lenses matching the wearer's precise visual acuity are inserted into the frame. Offers the greatest possible field of vision.

Adapter/Shield adapter

Permits front glazing for shield models.



Direct inframe glazing

An optimum solution for perfect vision at all times when wearing sport eyewear: The direct inframe lenses with sports optimized free-form design permit the greatest possible field of vision with maximum resolution.

- Front glazing directly in the frame
- Specification of one lens color but lens changes are possible
- Prescription lenses with single-vision and progressive lenses possible
- Aesthetic solution
- Large field of vision
- Vision correction of up to approx. +/- 4 dpt depending on model
- All full-rim and half-rim models available

More information can be found in the B2B RX Info Folder.





Adapter Shield adapter

RX optical adapter and shield adapter including clear demonstration lenses for centering available

- Prescription lenses in adapter which is inserted into frame
- Specification of one lens color but lens changes are possible
- Prescription lenses with single-vision and progressive lenses possible
- Solution for half-rim and shield depending on model



Adapter

e800 XS/S/L for e001, e002

70 6500 grey without demolens (a)
75 6500 grey with demolens clear
70 6600 grey silver mirror without demolens (b)
70 3500 LST® active silver without demolens

e801 S/L for e005, e006

70 6500 grey without demolens
75 6500 grey with demolens clear
70 6600 grey silver mirror without demolens
70 3500 LST® active silver without demolens (c)



Shield adapter

e802 S/L for e007, e008

70 1000 clear (a)
70 2500 LST® bright blue mirror (b)
70 3500 LST® active silver
70 6000 LST® contrast silver
70 6500 grey
75 6500 grey with demolens clear

e803 S/L for e009, e010

70 1000 clear
70 2500 LST® bright blue mirror
70 3500 LST® active silver
70 6000 LST® contrast silver (c)
70 6500 grey (d)
75 6500 grey with demolens clear

e804 S/L for e016, e017

70 1000 clear
70 3500 LST® active silver (e)
70 6000 LST® contrast silver
70 6500 LST® grey silver
75 6500 LST® grey silver
with demolens clear (f)




mounting

RX lens inserted into adapter from behind beginning nasally

RX lenses Base 8 compensated due to the high FFA (>10°)

adaptation



Glazing type: groove
Glazing with groove depth 0,6 mm
groove width min. 0,6 mm (see diagram)
OMA data and a lens former are available

packaging

box
FK 183 (Adapter)
FK 184 (Shield adapter)








microfiber bag small
SHS 45 (Adapter)

microfiber bag large
SHS 44 (Shield adapter)




- Glazing for the inner clip which is inserted into frame
- Front lens change possible
- Prescription lenses with single-vision and progressive lenses possible
- Field of vision large due to rimless version
- All models can be supplied with inner clip

- Glazing for the inner clip which is inserted into frame
- Front lens change possible
- Prescription lenses with single-vision and progressive lenses possible
- All models can be supplied with inner clip



instructions







drilling jig affixed nasal
available for order:
AC 310/5785
P 0000 11 0310 0000



recommendation

high index lens 1,6
dioptres, +/- 6 dpt possible
antireflective coating

packaging



recommendation CR39/ high index lens 1,6 – this depends on dioptries | dioptries: +/- 10 dpt possible | antireflective coating

packaging



Prescription

evil eyewear lenses					clip-in rimless				clip-in rim			adapter for direct glazing	direct glazing Silhouette Vision Sensation Lab
					with demolens				with demolens				
					clip-in (bridge)		clip-in (nose)						
					rendering	model	name	size	chassis (bridge) for glazing	clip-in	chassis (nose) for glazing		
	e001	trace pro		XS/S/L	e900	e901	e902	e904	e905	e906	e907	e800 XS/S/L	✓
	e002	trace		XS/S/L	e900	e901	e902	e904	e905	e906	e907	e800 XS/S/L	✓
	e003	zolid pro		S/L	e900	e901			e905	e906			✓
	e004	zolid		S/L	e900	e901			e905	e906			✓
	e005	fusor pro		S/L	e900	e901	e902	e904	e905	e906	e907	e801 S/L	✓
	e006	fusor		S/L	e900	e901	e902	e904	e905	e906	e907	e801 S/L	✓
	e007	vizor pro		S/L			e902	e903				e802 S/L	with adapter
	e008	vizor		S/L			e902	e903				e802 S/L	with adapter
	e009	vizor hr pro		S/L			e902	e903				e803 S/L	with adapter
	e010	vizor hr		S/L			e902	e903				e803 S/L	with adapter
	e011	nook		-							e907		✓
	e012	epyx-y		-							e907		✓
	e013	dlite-x		-			e902	e904			e907		✗
	e014	dlite-y		-			e902	e904			e907		✗
	e015	epyx-x		-							e907		✓
	e016	traileye pro		S/L			e902	e903				e804 S/L	with adapter
	e017	traileye		S/L			e902	e903				e804 S/L	with adapter
	e018	basou		-			e902	e904			e907		✓
	e019	elate.t		S/L	e900	e901							✓
	e020	elate.p		S/L	e900	e901					e907		✓
	e021	breye		-							e907		✓

Temple allocation

- B 0691 for model **e001/e002**
- B 0693 for model **e003/e004**
- B 0694 for model **e005/e006**
- B 0695 for model **e007/e008/e009/e010**
- B 0698 for model **e016/e017/e019/e020**

- B 0692 for model **e011/e012/e013/e014/e015/e018/e021**



evileye.com

[f /evileye.eyewear](#)

[@ /evileye.eyewear](#)